



Presentation for: Dr J. Chang, USAF AOARD
Presentation prepared by: W.K. Chiu, Dept of Mech Eng

Towards “zero” false positives in structural health monitoring

Report Documentation Page				Form Approved OMB No. 0704-0188	
Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.					
1. REPORT DATE 06 DEC 2007		2. REPORT TYPE Final		3. DATES COVERED 01-09-2006 to 30-08-2007	
4. TITLE AND SUBTITLE Towards				5a. CONTRACT NUMBER FA48690610080	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S) Wing Kong Chiu				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Monash University,P.O. Box 31, Monash University, ,Wellington Road,Clayton, Victoria 3800, Australia,AU,N/A				8. PERFORMING ORGANIZATION REPORT NUMBER N/A	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) AOARD, UNIT 45002, APO, AP, 96337-5002				10. SPONSOR/MONITOR'S ACRONYM(S) AOARD-064083	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT Structural Health Monitoring is one aspect of a revolution based on the use of Smart Materials and Structures technologies that have the potential to provide major gains in structural performance and cost-efficient life management. We seek to address the issue of information fidelity from ISHM systems (i.e. minimal or no "false positives") expressed by representatives from Airbus, Boeing, EADS, US FAA, Lockheed Martin, NASA and USAF at the Panel Discussion at the 5th IWSHM. This work will contribute to the first steps towards the transitioning of current state-of-the-art innovations in SHM to their widespread acceptance in the aerospace industry. This initial work is a concerted study that provides the sound scientific and engineering arguments towards the confidence in information fidelity will constitute a significant leap in the knowledge base of ISHM. The work proposed in this document respond to this challenge and will be the first concerted study towards the provision of these sound scientific and engineering arguments towards the widespread acceptance of ISHM.					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT Same as Report (SAR)	18. NUMBER OF PAGES 15	19a. NAME OF RESPONSIBLE PERSON
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified			

Research Team



Sponsor:
Dr Jim Chang
USAF-AOARD

University Collaborators:



Monash University
W.K. Chiu

Stanford University
F.K. Chang



PhD Candidate:




Daniel Tan Tian
Monash University

Technical Objectives

- **Aim (1):** Characterize the scattering of stress waves by defects or service-induced damage in representative aircraft structures with multi-layered construction and geometry variation. This knowledge shall be used in the development of a robust structural health monitoring scheme.
- **Aim (2):** Develop and validate robust approaches for determining and enhancing the “inspectability” of non-surface penetrating defects in such structures with the objective of eliminating “false positives”.

Rationale for work

- Discovery of crack on the lower wing skin of F111 aircraft¹
- Structure repaired with bonded composite patch
- Can in-situ structural health monitoring be used to monitor crack²?
- What are the effects of geometry variation on the propagating stress wave?



¹Baker, Rose, Walker Wilson (1999) Repair substantiation for a bonded composite repair to F111 lower wing skin, Applied Composite Materials, Vol 6, no 4, pp 251-267

²Wong, Chiu, Rajic & Galea (2006) Can stress waves be used for monitoring sub-surface defects in repaired structures, Composite Structures (in press)

Wong, Chiu, Rajic & Galea (2006) Can stress waves be used for monitoring sub-surface defects in repaired structures? Composite Structures (in press)

Findings to date


- **Use of finite element analysis to investigate the effects of geometry changes on the ability monitor crack growth under a bonded repair patch**
- **NEi/Nastran + FEMap used. Analysis method validated for the study of propagation of stress wave¹**

¹ Koh, Y.L., Chiu, W.K., Rajic, N. (2002) Integrity assessment of composite repair patch using propagating Lamb Waves, Composite Structures, Vol 58, No. 2, pp 305-306.


Findings to date

Finite element model of F111
lower wing skin

Crack configurations considered




View from Section ZZ




Findings to date

Finite element model of F111
lower wing skin


Location of actuator and
sensors used in analysis



View from Section yy



Findings to date



Findings to date

- **Finite element analysis of the effects of geometry variation on the propagating stress wave**
- **Results show that the ability to determine the presence of crack is frequency dependent (Why?)**

Future plans

- **Current research proposal seek to develop an understanding on the above to develop a criteria for the usage of stress wave based SHM methodology**
- **What are the implications of wave scattering of stress waves resulting from geometry variation on SHM?**

Towards “zero” false positives in structural health monitoring

Program Manager:

Dr Jim Chang
USAF AOARD

Team Members:

W.K. Chiu
Department of Mechanical Engineering
Monash University, Clayton, Victoria, Australia

F.K. Chang
Department of Aeronautics and Astronautics
Stanford University
Palo Alto, California, United States of America

Abstract

Structural Health Monitoring is one aspect of a revolution based on the use of Smart Materials and Structures technologies that have the potential to provide major gains in structural performance and cost-efficient life management. We seek to address the issue of information fidelity from ISHM systems (i.e. minimal or no “false positives”) expressed by representatives from Airbus, Boeing, EADS, US FAA, Lockheed Martin, NASA and USAF at the Panel Discussion at the 5th IWSHM. This work will contribute to the first steps towards the transitioning of current state-of-the-art innovations in SHM to their widespread acceptance in the aerospace industry. This initial work is a concerted study that provides the sound scientific and engineering arguments towards the confidence in information fidelity will constitute a significant leap in the knowledge base of ISHM. The work proposed in this document respond to this challenge and will be the first concerted study towards the provision of these sound scientific and engineering arguments towards the widespread acceptance of ISHM.